

L Number	Hits	Search Text	DB	Time stamp
-	226	714/23.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/03 11:05
-	469	713/340.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/03 13:28
-	52	memory same processor same (volt\$4 or power) same capacitor same (fail\$4 or fault or error)	USPAT; US-PGPUB; DERWENT	2004/05/03 13:34
-	488	713/324.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/03 13:34
-	414	713/324.ccls. and (not 713/340.ccls.)	USPAT; US-PGPUB; DERWENT	2004/05/03 14:38
-	276	320/166.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/03 15:32
-	362	714/10.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/03 16:07
-	162	714/14.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/04 10:23
-	144	463/44.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/04 12:53
-	19271	(processor with (volt\$4 or power) with (signal or pulse))	USPAT; US-PGPUB; DERWENT	2004/05/04 12:54
-	399	(processor with (volt\$4 or power) with (signal or pulse)) same (capacitor with \$3charg\$3)	USPAT; US-PGPUB; DERWENT	2004/05/04 12:55
-	248	(processor with (volt\$4 or power) with (signal or pulse)) same (capacitor with \$3charg\$3) and (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 13:57
-	2480	processor with power with (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 13:57
-	49	processor with power with (error or fail\$4 or fault) with pulse	USPAT; US-PGPUB; DERWENT	2004/05/04 14:24
-	774	processor with capacitor with \$3charg\$3	USPAT; US-PGPUB; DERWENT	2004/05/04 14:24
-	443	(processor with capacitor with \$3charg\$3) and (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 14:25
-	442	(processor with capacitor with \$3charg\$3) and (error or fail\$4 or fault) and (power or volt\$4)	USPAT; US-PGPUB; DERWENT	2004/05/04 14:25
-	281	(processor with capacitor with \$3charg\$3) and (error or fail\$4 or fault) and program	USPAT; US-PGPUB; DERWENT	2004/05/04 14:26
-	12	(processor with capacitor with \$3charg\$3) and (error or fail\$4 or fault) and (memory with cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/04 14:29
-	3	(memory with cartridge) same (processor with (power or volt\$4) with (loss or reset or cut))	USPAT; US-PGPUB; DERWENT	2004/05/04 14:30
-	532	714/5.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/04 14:30
-	516	714/5.ccls. and (not 714/23,10,14.ccls.)	USPAT; US-PGPUB; DERWENT	2004/05/04 14:31
-	23	karaoke and processor and (memory with cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/04 19:42

-	14	karaoke and processor and (memory with cartridge) and power	USPAT; US-PGPUB; DERWENT	2004/05/04 19:42
-	8	karaoke and processor and (memory with cartridge) and power and (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 19:45
-	445	game and processor and (memory with cartridge) and power and (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 19:45
-	86	(home with game) and processor and (memory with cartridge) and power and (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/04 19:45
-	8	(home with game) and processor same (memory with cartridge) and power same (error or fail\$4 or fault)	USPAT; US-PGPUB; DERWENT	2004/05/05 12:41
-	4623	(cpu or \$5processor) with (fail\$5 or fault or error) with power	USPAT; US-PGPUB; DERWENT	2004/05/05 12:43
-	312	(cpu or \$5processor) with (fail\$5 or fault or error) with power with program	USPAT; US-PGPUB; DERWENT	2004/05/05 12:59
-	3	((cpu or \$5processor) with (fail\$5 or fault or error) with power with program) same (memory with cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/05 12:45
-	6	((cpu or \$5processor) with (fail\$5 or fault or error) with power with program) and (memory with cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/05 12:46
-	848	((cpu or \$5processor) adj3 (fail\$5 or fault or error) with power)	USPAT; US-PGPUB; DERWENT	2004/05/05 12:47
-	506	((cpu or \$5processor) adj3 (fail\$5 or fault or error) with power) and program	USPAT; US-PGPUB; DERWENT	2004/05/05 12:47
-	86	((cpu or \$5processor) adj3 (fail\$5 or fault or error) with power) same program	USPAT; US-PGPUB; DERWENT	2004/05/05 12:57
-	2083	((cpu or \$5processor) with (fail\$5 or fault or error)) same (power adj2 supply)	USPAT; US-PGPUB; DERWENT	2004/05/05 13:00
-	1185	((cpu or \$5processor) with (fail\$5 or fault or error)) with (power adj2 supply)	USPAT; US-PGPUB; DERWENT	2004/05/05 13:00
-	130	((cpu or \$5processor) with (fail\$5 or fault or error)) with (power adj2 supply) and (memory with (attach\$5 or cartridge or remov\$5))	USPAT; US-PGPUB; DERWENT	2004/05/05 13:23
-	1075	processor with (error or fault or fail\$5) with reset	USPAT; US-PGPUB; DERWENT	2004/05/05 13:24
-	1	(memory adj2 cartridge) same (processor with (error or fault or fail\$5) with reset)	USPAT; US-PGPUB; DERWENT	2004/05/05 13:24
-	209	(memory) same (processor with (error or fault or fail\$5) with reset)	USPAT; US-PGPUB; DERWENT	2004/05/05 15:20
-	410	processor with pulse with threshold	USPAT; US-PGPUB; DERWENT	2004/05/05 16:21
-	115	(processor with pulse with threshold) and program	USPAT; US-PGPUB; DERWENT	2004/05/05 15:28
-	65	(processor with pulse with voltage with threshold)	USPAT; US-PGPUB; DERWENT	2004/05/05 15:36
-	562190	(processor output with pulse with voltage with threshold)	USPAT; US-PGPUB; DERWENT	2004/05/05 15:36
-	30	(processor with output with pulse with voltage with threshold)	USPAT; US-PGPUB; DERWENT	2004/05/05 15:37

-	10	(processor with output with pulse with voltage with threshold) and memory	USPAT; US-PGPUB; DERWENT	2004/05/05 15:39
-	165	714/721.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/05 16:00
-	361	702/64.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/05 16:00
-	30	processor with pulse with output with voltage with threshold	USPAT; US-PGPUB; DERWENT	2004/05/05 16:22
-	38	714/10.ccls. and (pulse with output)	USPAT; US-PGPUB; DERWENT	2004/05/05 16:28
-	72	714/10.ccls. and (power with (off or down))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:52
-	2269	714/\$3.ccls. and (not 714/10.ccls.) and (power with (off or down))	USPAT; US-PGPUB; DERWENT	2004/05/05 16:39
-	193	714/\$3.ccls. and (not 714/10.ccls.) and (processor with (power with (off or down)))	USPAT; US-PGPUB; DERWENT	2004/05/05 16:40
-	1118	(processor near3 error) and (power with supply)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:23
-	57	(processor near3 error) same (power with supply)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:29
-	11327	power with control with (program or routine)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:29
-	1191	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault))	USPAT; US-PGPUB; DERWENT	2004/05/05 19:30
-	402	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault)) and threshold	USPAT; US-PGPUB; DERWENT	2004/05/05 19:30
-	167	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault)) and (voltage with threshold)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:31
-	1	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault)) and (voltage with threshold) and (memory adj2 cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:31
-	162	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault)) and (voltage with threshold) and (memory)	USPAT; US-PGPUB; DERWENT	2004/05/05 19:31
-	144	(power with control with (program or routine)) and ((\$5processor or cpu) with (error or fail\$4 or fault)) and (voltage with threshold) and (memory) and capacitor	USPAT; US-PGPUB; DERWENT	2004/05/05 19:44
-	10500	(game or karaoke) with memory	USPAT; US-PGPUB; DERWENT	2004/05/05 19:45
-	29	((game or karaoke) with memory) same (processor with (fail\$ or error or fault))	USPAT; US-PGPUB; DERWENT	2004/05/05 19:49
-	237	(power adj2 control) same (processor with (fail\$ or error or fault))	USPAT; US-PGPUB; DERWENT	2004/05/05 19:50
-	30	processor near4 (power near (off or reset or disconnect or down) with (error or fail\$4 or fault))	USPAT; US-PGPUB; DERWENT	2004/05/05 19:55

-	0	procesor with error with power with off	USPAT; US-PGPUB; DERWENT	2004/05/05 19:55
-	0	procesor with error with power with down	USPAT; US-PGPUB; DERWENT	2004/05/05 19:56
-	41	procesor with error with power with off	USPAT; US-PGPUB; DERWENT	2004/05/05 19:58
-	248	714/22.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/05 20:47
-	3	procesor adj2 (fault or fail\$4 or error) adj3 power near2 (off or down)	USPAT; US-PGPUB; DERWENT	2004/05/05 20:17
-	28	463/24.ccls.	USPAT; US-PGPUB; DERWENT	2004/05/05 20:41
-	311	463/\$3.ccls. and ((\$5procesor or cpu) with (fail\$5 or fault or error))	USPAT; US-PGPUB; DERWENT	2004/05/05 20:42
-	28	463/\$3.ccls. and ((\$5procesor or cpu) with (fail\$5 or fault or error) with power)	USPAT; US-PGPUB; DERWENT	2004/05/05 20:42
-	103	714/10-13.ccls. and ((procesor adj2 (error or fault or fail\$4))) and ((power or volt\$4) with (sto\$4 or off or reset))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:09
-	7	procesor with (fail\$4 or fault or error) with output with reset with condition	USPAT; US-PGPUB; DERWENT	2004/05/05 21:10
-	0	procesor with (fail\$4 or fault or error) with output with reset with cartridge	USPAT; US-PGPUB; DERWENT	2004/05/05 21:10
-	1	procesor with (fail\$4 or fault or error) with output with cartridge	USPAT; US-PGPUB; DERWENT	2004/05/05 21:11
-	149	(procesor with (fail\$4 or fault or error) with output) and cartridge	USPAT; US-PGPUB; DERWENT	2004/05/05 21:15
-	12	(procesor with (fail\$4 or fault or error) with output) and (memory adj2 cartridge)	USPAT; US-PGPUB; DERWENT	2004/05/05 21:16
-	145	(procesor with (fail\$4 or fault or error)) and ((memory adj2 cartridge))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:19
-	9	(procesor with (fail\$4 or fault or error) with power) and ((memory adj2 cartridge))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:20
-	1014	(procesor with (fail\$4 or fault or error) with reset) and ((memory))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:20
-	252	(procesor with (fail\$4 or fault or error) with reset) and ((memory)with (remov\$4 or \$3attach\$5 or cartridge))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:21
-	94	((procesor with (fail\$4 or fault or error) with reset) same power) and ((memory)with (remov\$4 or \$3attach\$5 or cartridge))	USPAT; US-PGPUB; DERWENT	2004/05/05 21:26